

FICHA TECNICA
STRECH FILM MANUAL DE 20 MICRONES
(4 KILOS NETOS) Cod SAP 871140

Ficha técnica correspondiente al stretch film manual de 20 micrones, con un peso neto de 4 kilos y 435 metros lineales.

TECHNICAL SPECIFICATION OF POWERSTRETCH HAND GRADE FILM

Characteristics	Method	Measurement Unit	Product Value	Product Value
Thickness	-	Micron	23	20
Density	ASTM D-1505	gr/cc	0.918	0.918
Impact resistance (Dart test)	ASTM D-1709	gr.	115	110
Tensile strength at Yield	MD	ASTM D-882 B	9 N/mm ²	8.5 N/mm ²
	TD		8 N/mm ²	7.5 N/mm ²
Tensile strength at break	MD	ASTM D-882 B	22 M Pa	21 M Pa
	TD		15 M Pa	13 M Pa
Elongation at break	MD	ASTM D-882 B	313%	280%
	TD		403%	390%
Tear resistance (Elmendorf)	MD	ASTM D-1922	2046mN	2025 mN
	TD		2924 mN	2875 mN
Guaranteed Stretch	Highlight Method	%	145	145
Stretch	Highlight	%	155	155
	Method			
Cling	Powerband	g	130	130
	Method			