UVALUX[®] 20 SERIES

Maximum Performance
UV Lithography Web Inks
The Sustainable Solution







UVALUX® 20 SERIES

Maximum Performance UV Lithography Web Inks

A New GENERATION in UV Lithography Inks

UVALUX® 20 SERIES is an evolution of enhancements Zeller+Gmelin's industry benchmark performance products. Utilizina the latest technological advances while addressing regulatory and product change requirements, the UVALUX® 20 SERIES provides enhanced transfer, decreased water settings and effortless clean up. These products also provide exceptional gloss and reduced misting at the industries highest speeds.

Features

- Excellent Flow
- · Wide Operating Window
- Conventional Print Curves
- · Compatible with a Variety of Fountain Solutions
- Maximum Ink Transfer Rates in Roller Train
- · Low Dot Gain
- Superior Gloss
- · Low Misting

Selected Applications

- Commercial
- · Business Forms
- Direct Mail
- Laser Applications
- · Many others....

Substrates

- Coated Paper
- Uncoated Paper
- Synthetics

Ink Film Formation

UVALUX® 20 SERIES inks provide quick initiation, leaving a durable fused ink film with advanced chemical resistance. The high end initiator package providing excellent cure is not dependent on further absorption, evaporation or oxidization to complete the curing process.

- Fused Heat Resistant UV Ink Film
- Maximum Cure Rate

Profitability Enhancements

The most proven methods for reducing ink cost are through minimizing ink consumption and reducing waste. Running thinner films, enhancing press speeds and using less energy all add up to cost savings by utilizing the UVALUX® 20 SERIES.

Increasing mileage without decreasing performance is achieved by using the most current technologies. Include exceptional runability traits at thinner ink films on your roller train, while maintaining a job in balance as press conditions change, requires an extraordinary ink system. The UVALUX® 20 SERIES exceeds those requirements. In addition the 20 SERIES maximizes the transfer and operational window by increasing the ink/water balance.

- Unsurpassed Press Speeds
- Wide Window of Operation
- Utilizes Less Water

Color Availability

UVALUX® 20 SERIES inks contain clean, strong, transparent pigmentation designed to meet all of your print requirements. These selections allow this series of inks to provide optimum color matches while achieving a wide color spectrum.

- PANTONE® Blends
- Includes Metallic & Fluorescent







Environmental Benefits

The UVALUX® 20 SERIES surpasses the printability of conventional inks while offering the benefits of less than one percent VOC emissions. Our primary focus is to develop state of the art "green" UV ink products for sustainability that are environmentally and consumer friendly. UVALUX® 20 SERIES inks are formulated for high free radical conversion rates, requiring no additional volatile components. Also the 20 SERIES incorporates a renewable soy component adding to the sustainability of this product. We remain committed to providing the most environmentally beneficial products to the market.


- Free Radical Chemistry
- Cleaner Second Generation UV Components
- · Efficient Energy Consumption

Laser Printing

Laser printing is a dynamic process involving variables of heat, pressure, friction, film weight, cure, substrate and print layout. The UVALUX® 20 SERIES ink chemistry is the solution for laser application by providing print qualities that address the rigors of laser printing.

UVALUX® 20 SERIES inks properly cured at correct film weights in conjunction with other laser variables are heat resistant up to 450F/115PSI and acceptable for usage in most laser printing applications.

**Please contact a Zeller+Gmelin representative if your application requires Xerox MX Laser Printing.



Product Description	Product #	Blue Wool
Process Yellow	2001	4
Process Magenta	2002	4
Process Cyan	2003	8
Process Black	2004	8
Opaque White	2005	8
Dense Black	2006	8
Yellow	2010	4
Warm Red	2020	4
Rubine	2030	4
Rhodamine	2040	4
Purple	2050	7
Violet	2055	7
Reflex Blue	2060	7
Process Blue	2070	8
Green	2080	8
Mixing Black	2090	8
Trans. White	2095	8
012 Yellow	20012	4
021 Orange	20021	3
032 Red	20032	5
072 Blue	20072	7

Our Commitment

Our commitment and focus to UV development, technology, training, manufacturing, quality, environment and its processes have been ongoing since 1970. Our expertise and experience enhances our global reputation as second to none. National and International, mutually beneficial partnerships and relationships have been built through integrity, cooperation, confidence and trust.

Proactive industry involvement enables Zeller+Gmelin Corporation to recognize, identify and analyze market requirements and trends. Instrumental and important new technologies are constantly pursued and developed to ensure the products we offer provide the viable competitive edge essential to excelling in today's everchanging environment.

Today, through commitment, performance and growth, Zeller+Gmelin Corporation products are utilized in over 75 countries – "Putting Color Into the World."

Locations

UNITED STATES

Corporate Headquarters USA Zeller+Gmelin Corporation 4725 Jefferson Davis Highway

Richmond, Virginia 23234 Toll Free +1 800-848-8465 +1 804-275-8486 Tel. +1 804-275-8638 Fax: Internet: www.zeller-gmelin.com

E-mail: ink@zeller-gmelin.com

Corporate Warehouse Distribution Center

Zeller+Gmelin Corporation 3807 Castlewood Road Richmond, Virginia 23234 +1 804-275-4895 Tel. +1 804-275-4896 Fax:

Customer Service

Tel. +1 888-741-4435 +1 888-593-5537 Fax:

Zeller+Gmelin Corporation

3820 Ohio Avenue. Unit 17-18 St. Charles, Illinois 60174 +1 630-443-8800 Tel Fax: +1 630-443-8819

Zeller+Gmelin Corporation

4714 Thatcher Avenue North Tampa, Florida 33614 Tel. +1 813-514-1761 +1 813-514-1762 Fax:

Zeller+Gmelin Corporation

151 Regal Row, Suite 131 Dallas, Texas 75247 +1 214-638-8880 Tel. +1 214-631-5252

Zeller+Gmelin Corporation

Fax:

10873 Portal Drive Los Alamitos, California 90720 +1 714-995-8080 Tel. Fax: +1 714-995-8177

Zeller+Gmelin Corporation

3951 Performance Drive, Unit F Sacramento, California 95838 Tel +1 916-648-9030 +1 916-648-9033 Fax:

Zeller+Gmelin Corporation

2910 Waters Road, Suite 110 Eagan, Minnesota 55121 +1 651-686-5996 Tel. Fax: +1 651-454-6107

Zeller+Gmelin Corporation

8277 Melrose Drive Lenexa, Kansas 66214 Tel. +1 913-310-0500 +1 913-310-0505 Fax:

Zeller+Gmelin Corporation

312 School Street Acton, Massachusetts 01720 +1 978-929-9999 Tel: Fax: +1 978-929-9998

CANADA

Zeller+Gmelin ULC 2180 Matheson Blvd., East Unit 2 Mississauga, Ontario Canada L4W 5E1 +1 905-624-5844 Tel. +1 905-624-6135 Fax: Email: uvinks@zeller-gmelin.ca

GERMANY

Zeller + Gmelin GmbH & Co. KG Schloßstraße 20 D-73054 Eislingen Germany

+49 (0) 7161 802-0 Tel. +49 (0) 7161 802-290 Fax: Internet: www.zeller-gmelin.de E-mail: info@zeller-gmelin.de

GREAT BRITAIN

Zeller+Gmelin UK Limited Queensbridge Industrial Park 795 London Road West Thurrock. Essex RM 20 3LH - UK Great Britain

+44 1708-899-091 Tel. +44 1708-899-092 Fax: Internet: http://zeller-gmelin.co.uk/ E-mail: tech@zeller-gmelin.co.uk

NETHERLANDS

Zeller+Gmelin B.V. Beneluxstraat 10 5711 DA Someren The Netherlands

+31 493 496 575 Tel. +31 493 491 875 Fax: E-mail: zeller.gmelin@wxs.nl

DENMARK

Zeller+Gmelin A/S Danmarksvej 29 8660 Skanderborg Denmark

+45 86 511-355 Tel. +45 86 511-375 Fax: Email: www.zg.dk

FRANCE

Zeller+Gmelin Sarl 19, Rue Roger Salengro 69740 Genas France

Tel. +33 472-796-252 +33 478-902-515 Fax: Internet: www.zeller-gmelin.de E-mail: info@zeller-gmelin.fr

CHINA

Zeller+Gmelin Co. Ltd. West Gaoshu Road, Luxu Wujiang Linhu Economic Area Jiangsu Province, PRC 215211 +0512-820-66983 Tel. +0512-820-66981 Fax: E-Mail: henry.zgcn@gmail.com

TURKEY

Zeller+Gmelin Ltd. Sti. Sanayi Mah. Avcılar Cad No: 9 Güngören / İstanbul/Türkei Tel. + 90 212 642 97 97 Fax: + 90 212 642 97 98 E-mail: info@zeller-gmelin.com.tr

CZECH REPUBLIC

Zeller + Gmelin s.r.o. Smetanova 2 CZ-58601 Jihlava Tel. +420 567-307-250

+420 567-330-194 Email: zeller-gmelin@volny.cz

ITALY

Zeller + Gmelin BELLINI SRL via Don L. Milani 8

I-24050 ZANICA / BERGAMO Tel +39 (0) 356-73948 +39 (0) 356-73958 Internet: www.bellini-lubrificanti.it E-mail: mail@bellini-lubrificanti.it



